



G•APEX

HEAT SHRINK TUBING AND ACCESSORIES

G•APEX

G•APEX

台灣雲林應用材料股份有限公司

Taiwan Yun Lin Applied Materials Co., Ltd.

No. 361-1, Sec. 1, Shanjiao Road., Yuanlin City, Changhua County, Taiwan 510

T : +886-4-8381860 / F : +886-4-8381915 / E : sales@g-apex.com.tw

<https://www.g-apex.com.tw>



Taiwan Yun Lin Applied Materials Co., Ltd.



企業簡介 Company Profile

For over 20 years, G-APEX has been focused on research and development the new materials and products in the fields of heat shrink, cold shrink tubing, and tapes. To solve the requirement of quality, safety, cost reduction, and services for the market. Providing solutions of electrical insulation and sealing protection applications for different industries.

Production: 50 million meters of monthly production capabilities of heat shrinkable tubing, the strongest product supplying abilities.

Technology: 21 patents and professional R&D team.

Certification: ISO9001、UL、ROHS、REACH、ISO10993、ISO14001、IATF16949, providing a reliable quality guarantee.

Services: Mass storage of products and our service staff in Taiwan, Japan, Thailand, Vietnam, and China, providing the fastest ship out and instant services.

Under our team structure, we're confident to fulfill all your inquiries.

G-APEX 20年來長期致力在熱縮套管、冷縮套管、膠帶領域研究開發新材料及產品，解決市場對品質、安全性、成本降低及服務的需求，提供了不同行業電氣絕緣及密封保護應用解決方案。

生產：熱縮套管月產能5千萬米，提供強大的供貨能力。

技術：21項專利技術及專業的工程研發團隊。

認證：ISO9001、UL、ROHS、REACH、ISO10993、ISO14001、IATF16949提供可靠的品質保證。

服務：台灣、日本、泰國、越南、中國各地提供大量產品庫存倉儲及服務人員，提供最快速的發貨及服務。在整體的團隊架構下，我們很自信可以完成對您的需求所託。



目錄 CONTENTS

薄壁熱縮套管

THIN WALL HEAT SHRINK TUBING

G5 通用型熱縮套管

General purpose, flame retardant heat shrink tubing

G5-CB 超薄型熱縮套管

Ultra thin wall, flame retardant heat shrink tubing

G1 無阻燃型熱縮套管

Non flame retardant heat shrink tubing

G5-3X 高收縮倍率熱縮套管

High shrink ratio heat shrink tubing

G5-135 135°C 阻燃型熱縮套管

135°C Flame retardant heat shrink tubing

G5-YG 接地標示用黃綠熱縮套管

Yellow & Green striped heat shrink tubing

GA 耐磨型PE熱縮套管

Abrasion-resistant PE heat shrink tubing

YLPET PET熱縮套管

PET heat shrink tubing

DR 150°C 耐油熱縮套管

150° Diesel resistant elastomeric heat shrinkable tubing

含膠型熱縮套管

ADHESIVE-LINED HEAT SHRINK TUBING

AIS 雙壁含膠型熱縮套管

Dual wall heat shrink tubing

AIS-ES 車用線束含膠熱縮套管

Adhesive heat shrinkable tubing for automotive

AECM 迷你電線防水封帽

Miniature waterproof cable end cap

ATM 通用型中壁含膠熱縮套管

Medium wall heat shrink tubing

ATM-FR 通用型中壁阻燃含膠熱縮套管

Flame retardant medium wall heat shrink tubing

AOS 柔軟型中壁含膠熱縮套管

Flexible medium wall heat shrink tubing

ABS 防水端子用熱縮套管

Watertight tube for terminals and crimp splices

ASM 通用型厚壁含膠熱縮套管

Heavy wall heat shrink tubing

ASM-6X 六倍收縮厚壁熱縮套管

Heavy wall high shrink ratio heat shrink tubing

耐高溫熱縮套管

HIGH TEMPERATURE RESISTANT HEAT SHRINK TUBING

HTK150 柔軟型PVDF熱縮套管

Flexible PVDF heat shrinkable tubing

KYNAR 半硬型PVDF熱縮套管

Semi-rigid PVDF heat shrinkable tubing

VITON 氟橡膠熱縮套管

Fluoroelastomer heat shrinkable tubing

FEP 200°C FEP熱縮套管

200°C FEP heat shrinkable tubing

PTFE 260°C PTFE熱縮套管

260°C PTFE heat shrinkable tubing

PFA 260°C PFA熱縮套管

260°C PFA heat shrinkable tubing

醫療等級熱縮套管

MEDICAL-GRADE HEAT SHRINKABLE TUBING

MTA 醫療級半硬質PVDF熱縮套管

Medical grade semi-rigid PVDF heat shrinkable tubing

MT2 醫療級超薄型LDPE熱縮套管

Medical grade ultra thin wall LDPE heat shrinkable tubing

MTC 醫療級柔軟型PVDF熱縮套管

Medical grade flexible PVDF heat shrinkable tubing

MTE 醫療級LDPE熱縮套管

Medical grade LDPE heat shrinkable tubing

MTF 醫療級高柔軟性熱縮套管

Medical grade high flexibility heat shrinkable tubing

冷縮套管

COLD SHRINK TUBING

DNC 硅矽橡膠雙層冷縮套管

Dual layer cold shrink silicone rubber sleeve

ANC 硅矽橡膠冷縮套管

Cold shrink silicone rubber sleeve

GNC 硅矽橡膠冷縮套管

Cold shrink silicone rubber sleeve

NS7 硅矽橡膠握把冷縮套管

Cold shrink silicone rubber sleeve for handle

EEC EPDM橡膠冷縮封帽

Cold shrink EPDM rubber end cap

ENC EPDM 橡膠冷縮套管

Cold shrink EPDM rubber sleeve

編織網管

BRAIDED SLEEVING

BS5000 編織熱縮套管

Fabric heat shrinkable tubing

BS1000 PET 半剛性捲式編織管

PET semi-rigid wrappable split braided sleeving

BS3000 汽車線束用捲式編織管

Wrap around braided sleeving for automotive wire assembly

BSPET PET 編織擴充管

PET expandable braided sleeving

電線連接用熱縮套管

ELECTRICAL INTERCONNECT HEAT SHRINKABLE TUBING

GAST-R 125°C 防水焊錫環熱縮中接管

125°C Solder sleeve wire splices

GAST-B 125°C 防水焊錫環熱縮中接管

125°C Solder sleeve wire splices

GAST-RS 125°C 防水焊錫環熱縮中接管

125°C Solder sleeve wire splices

CRIMP 防水熱縮中接管

Waterproof heat shrinkable crimp splices

GAST-E 防水焊錫環熱縮封帽

Solder grip closed end connector splices

高壓絕緣熱縮套管

HIGH VOLTAGE INSULATION HEAT SHRINK TUBING

HB1 高壓母排熱縮套管(耐壓3.6kV)

Busbar insulating heat shrink tubing (Withstand voltage up to 3.6kV)

HB2 高壓母排熱縮套管(耐壓24kV)

Busbar insulating heat shrink tubing (Withstand voltage up to 24kV)

HB3 高壓母排熱縮套管(耐壓36kV)

Busbar insulating heat shrink tubing (Withstand voltage up to 36kV)

熱縮模塑套件

MOULDED SHAPES

BOOT 模縮套

Molded parts

AEC 電纜防水熱縮封帽

Heat shrinkable cable end cap

光纖用熱縮套管

FIBER OPTICAL HEAT SHRINKABLE TUBING

ADW 光纖接續盒專用防水熱縮套管

Heat shrinkable tubing for fiber optic splice closure

FOSP 光纖保護套管

Heat shrinkable fiber optic splice protector

FOSP-K 高溫光纖保護套管

High-temperature optical fiber protection sleeve

膠帶

TAPE

WT800 自融性防水膠帶

Rubber mastic tape

WT200 自融性防水膠帶

Rubber mastic tape

WT300 自融性絕緣填縫膠膏帶

Self-fusing insulation caulking mastic tape

HBT 耐電壓矽膠膠帶(耐壓15~24kV)

High voltage silicone busbar insulation tape

(Withstand voltage up to 15~24kV)

熱縮套管組合包

ASSORTMENT KIT

K1-101 熱縮套管組裝盒

Heat shrinkable tubing kit

K1-102 熱縮套管組裝盒

Heat shrinkable tubing kit

K1-201 熱縮套管組裝盒

Heat shrinkable tubing kit

K1-301 熱縮套管組裝盒

Heat shrinkable tubing kit

K2-101 熱縮套管組裝盒

Heat shrinkable tubing kit

K2-102 熱縮套管組裝盒

Heat shrinkable tubing kit

K2-103 熱縮套管組裝盒

Heat shrinkable tubing kit

K4-101 熱縮套管組裝盒

Heat shrinkable tubing kit

K5-101 熱縮套管組裝盒

Heat shrinkable tubing kit

K6-101 熱縮套管組裝盒

Heat shrinkable tubing kit

K7-101 熱縮套管組裝盒

Heat shrinkable tubing kit

K7-201 熱縮套管組裝盒

Heat shrinkable tubing kit

B2 熱縮套管捲式包(紙盒)

Tube and sleeve - mini box

R2 熱縮套管圓形泡殼包裝

Tube and sleeve - blister pack

GR 熱縮套管捲式包裝

Heat shrinkable tubing pack - mini spool pack

號碼標識系統

MARKING SYSTEMS

135°C TMS 軌道式號碼標示印字熱縮套管

Heat shrink markers

125°C TMS 軌道式號碼標示印字熱縮套管

Heat shrink markers

135°C CTMS 捲式號碼標示印字熱縮套管

Heat shrink markers

125°C CTMS 捲式號碼標示印字熱縮套管

Heat shrink markers

MP 貼紙簿

Pocket pack marker book

MO 號碼標誌器

Snap-on wire markers

MH PVC熱縮電線標示號碼圈

PVC Heat shrinkable wire marking number ring

工具

TOOL

GHG 微型熱風槍

Gas heat gun

BSC 熱裁切機

Hot knife device

ASSORTMENT KIT 熱縮套管組合包



ASSORTMENT KIT

ASSORTMENT KIT

K1

Heat shrinkable tubing kit 熱縮套管組裝盒

● 應用 Applications

由熱縮套管組裝而成，各個規格的熱縮套管包裝在格式的塑膠盒中，適合在量販通路銷售。

The kit is assembled from heat shrink tubing. Various sizes of heat shrink tubing are packed in the plastic organizer box and are suitable for sale in the hypermarket.

● 塑膠盒 Plastic Box

- 內容物：熱縮套管、熱縮端子
 - 規格：27.5 x 19.5 x 5.2cm
 - 材料：PP
 - 顏色：透明
 - 隔板：可調式
- Contents: heat shrink tubing, heat shrink terminals
 - Size: 27.5 x 19.5 x 5.2cm
 - Material: PP
 - Color: transparent
 - Divider: adjustable

Product Dimensions 產品規格

Contents: G5 General purpose, flame retardant polyolefin tubing
內容物：G5通用型熱縮套管

Item Number	Size (mm)	Length (inch)	Color	Quantity
產品名稱	尺寸(毫米)	長度(英吋)	顏色	數量
G5	3.0	6"	Red	45pcs
G5	4.5	6"	Yellow	25pcs
G5	6.0	6"	Blue	20pcs
G5	9.0	6"	Green	10pcs
G5	12	6"	White	10pcs
G5	18	6"	Black	10pcs

Specified color and quantity are available on request.
指定包裝可依客戶實際需求調整內容

Part Number
產品型號

K1-101

Contents: AIS Dual wall polyolefin tubing
內容物：AIS雙壁含膠型熱縮套管

Item Number	Size (mm)	Length (inch)	Color	Quantity
產品名稱	尺寸(毫米)	長度(英吋)	顏色	數量
AIS	3.2	6"	Black	25pcs
AIS	4.8	6"	Black	20pcs
AIS	6.4	6"	Black	15pcs
AIS	12.7	6"	Black	5pcs
AIS	19.1	6"	Black	3pcs
AIS	25.4	6"	Black	2pcs

Specified color and quantity are available on request.
指定包裝可依客戶實際需求調整內容

Part Number
產品型號

K1-102



Part Number
產品型號

K1-201

Contents: G5 General purpose, flame retardant polyolefin tubing

內容物：G5通用型熱縮套管

Item Number	Size (mm)	Length (inch)	Color	Quantity
產品名稱	尺寸(毫米)	長度(英吋)	顏色	數量
G5	3.0	4"	Red	45pcs
G5	4.5	4"	Yellow	25pcs
G5	6.0	4"	Blue	20pcs
G5	9.0	4"	Green	10pcs
G5	12	4"	White	10pcs
G5	18	4"	Black	10pcs

Contents: AIS Dual wall polyolefin tubing

內容物：AIS雙壁含膠型熱縮套管

Item Number	Size (mm)	Length (inch)	Color	Quantity
產品名稱	尺寸(毫米)	長度(英吋)	顏色	數量
AIS	3.2	2"	Black	25pcs
AIS	4.8	2"	Black	20pcs
AIS	6.4	2"	Black	15pcs
AIS	12.7	2"	Black	5pcs
AIS	19.1	2"	Black	3pcs
AIS	25.4	2"	Black	2pcs

Specified color and quantity are available on request.
指定包裝可依客戶實際需求調整內容



Part Number
產品型號

K1-301

Contents: G5 General purpose, flame retardant polyolefin tubing

內容物：G5通用型熱縮套管

Item Number	Size (mm)	Length (inch)	Color	Quantity
產品名稱	尺寸(毫米)	長度(英吋)	顏色	數量
G5	3.0	2"	Red	45pcs
G5	4.5	2"	Yellow	25pcs
G5	6.0	2"	Blue	20pcs
G5	9.0	2"	Green	10pcs
G5	12	2"	White	10pcs
G5	18	2"	Black	10pcs

Contents: AIS Dual wall polyolefin tubing

內容物：AIS雙壁含膠型熱縮套管

Item Number	Size (mm)	Length (inch)	Color	Quantity
產品名稱	尺寸(毫米)	長度(英吋)	顏色	數量
AIS	4.8	2"	Black	20pcs
AIS	12.7	2"	Black	5pcs
AIS	25.4	2"	Black	2pcs

Contents: GAST-B 110°C Solder sleeve wire splices

內容物：GAST-B 110°C防水焊錫環熱縮中接管

Item Number	Wire Range	Color	Quantity
產品名稱	線徑範圍 AWG (mm ²)	顏色	數量
GAST-B02	22-18 (0.5-1.0)	Red	10pcs
GAST-B03	16-14 (1.5-2.5)	Blue	8pcs
GAST-B04	12-10 (4.0-6.0)	Yellow	6pcs

Contents: CRIMP Waterproof heat shrinkable crimp splices

內容物：CRIMP防水熱縮中接管

Item Number	Wire Range	Color	Quantity
產品名稱	線徑範圍 AWG (mm ²)	顏色	數量
GBS-1	22-18 (0.5-1.0)	Red	9pcs
GBS-2	16-14 (1.5-2.5)	Blue	7pcs
GBS-5	12-10 (4.0-6.0)	Yellow	6pcs

Contents: ABS Watertight tube for terminals and crimp splices

內容物：ABS防水端子用熱縮套管

Item Number	Size (mm)	Length (inch)	Color	Quantity
產品名稱	尺寸(毫米)	長度(英吋)	顏色	數量
ABS48	4.8±0.3	1.6"	Red	9pcs
ABS58	5.8±0.3	1.6"	Blue	7pcs
ABS68	6.8±0.3	1.6"	Yellow	6pcs

Specified color and quantity are available on request.
指定包裝可依客戶實際需求調整內容

ASSORTMENT KIT

K2

Heat shrinkable tubing kit 熱縮套管組裝盒

●應用 Applications

由熱縮套管組裝而成，各個規格的熱縮套管包裝在格式的塑膠盒中，適合在量販通路銷售。

The kit is assembled from heat shrink tubing. Various sizes of heat shrink tubing are packed in the plastic organizer box and are suitable for sale in the hypermarket.

●塑膠盒 Plastic Box

- 內容物：G5 & AIS熱縮套管(每piece 4英吋)
- 規格：21 x 12 x 3.4cm
- 材料：PP
- 顏色：透明
- 隔板：固定式
- Contents: G5 & AIS heat shrink tubing (4 inches per piece)
- Size: 21 x 12 x 3.4cm
- Material: PP
- Color: transparent
- Divider: fixed



系列隔板為固定式
Immobile partition

Product Dimensions 產品規格

Contents: G5 General purpose, flame retardant polyolefin tubing
內容物：G5通用型熱縮套管

Part Number
產品型號

K2-101

Item Number	Size (mm)	Length (inch)	Color	Quantity
產品名稱	尺寸(毫米)	長度(英吋)	顏色	數量
G5	1.5	4"	Black	60 pcs
G5	2.5	4"	Black	35 pcs
G5	3.0	4"	Black	25 pcs
G5	5.0	4"	Black	20 pcs
G5	6.0	4"	Black	10 pcs
G5	10	4"	Black	10 pcs

Specified color and quantity are available on request.
指定包裝可依客戶實際需求調整內容

Contents: G5 General purpose, flame retardant polyolefin tubing
內容物：G5通用型熱縮套管

Part Number
產品型號

K2-102

Item Number	Size (mm)	Length (inch)	Quantity	Color / Quantity 顏色 / 數量					
產品名稱	尺寸(毫米)	長度(英吋)	數量	●	●	●	●	◎	●
G5	1.5	4"	60 pcs	10	10	10	10	10	10
G5	2.5	4"	35 pcs	6	6	6	6	6	5
G5	3.0	4"	25 pcs	4	4	4	4	5	4
G5	5.0	4"	20 pcs	3	4	3	3	4	3
G5	6.0	4"	10 pcs	1	2	2	2	2	1
G5	10	4"	10 pcs	1	2	2	2	2	1

Specified color and quantity are available on request.
指定包裝可依客戶實際需求調整內容

Contents: AIS Dual wall polyolefin tubing
內容物：AIS雙壁管型熱縮套管

Part Number
產品型號

K2-103

Item Number	Size (mm)	Length (inch)	Color	Quantity
產品名稱	尺寸(毫米)	長度(英吋)	顏色	數量
AIS	4.8	4"	Black	7pcs
AIS	6.4	4"	Black	6pcs
AIS	9.5	4"	Black	5pcs
AIS	12.7	4"	Black	4pcs
AIS	19.1	4"	Black	2pcs
AIS	25.4	4"	Black	1pcs

Specified color and quantity are available on request.
指定包裝可依客戶實際需求調整內容

ASSORTMENT KIT

K4

Heat shrinkable tubing kit 熱縮套管組裝盒


● 應用 Applications

由熱縮套管組裝而成，各個規格的熱縮套管包裝在格式的塑膠盒中，適合在量販通路銷售。

The kit is assembled from heat shrink tubing. Various sizes of heat shrink tubing are packed in the plastic organizer box and are suitable for sale in the hypermarket.

● 塑膠盒 Plastic Box

- 內容物：G5熱縮套管
- 規格：21 x 11 x 4.5cm
- 材料：PP
- 顏色：透明
- 隔板：固定式
- Contents: G5 heat shrink tubing
- Size: 21 x 11 x 4.5cm
- Material: PP
- Color: transparent
- Divider: fixed



系列隔板為固定式
Immobile partition

Product Dimensions 產品規格

Contents: G5 General purpose, flame retardant polyolefin tubing
內容物：G5通用型熱縮套管

Part Number
產品型號

K4-101

Item Number	Size (mm)	Length (mm)	Quantity	Color / Quantity 顏色 / 數量					
產品名稱	尺寸(毫米)	長度(毫米)	數量	●	●	●	●	●	●
G5	2.0	30	100pcs	25	25	25			25
G5	4.0	60	10pcs					10	
G5	4.5	60	10pcs	10					
G5	5.0	60	8pcs			8			
G5	6.0	60	6pcs						6
G5	8.0	90	11pcs						11
G5	9.0	90	11pcs					11	
G5	10	1000	1pcs	1					
G5	12	90	7pcs		7				
G5	18	90	7pcs				7		

Quantity數量：171pcs of G5 (2X)

Specified color and quantity are available on request.
指定包裝可依客戶實際需求調整內容



ASSORTMENT KIT

K5**Heat shrinkable tubing kit**
熱縮套管組裝盒

● 應用 Applications

由熱縮套管組裝而成，各個規格的熱縮套管包裝在格式的塑膠盒中，適合在量販通路銷售。

The kit is assembled from heat shrink tubing. Various sizes of heat shrink tubing are packed in the plastic organizer box and are suitable for sale in the hypermarket.

● 塑膠盒 Plastic Box

- 內容物：G5熱縮套管
- 規格：17.7 x 9.5 x 3.1cm
- 材料：PS
- 顏色：透明
- 隔板：固定式

- Contents: G5 heat shrinkable tubing
- Size: 17.7 x 9.5 x 3.1cm
- Material: PS
- Color: transparent
- Divider: fixed



系列隔板為固定式
Immobile partition

Product Dimensions

產品規格

Part Number
產品型號

Contents: G5 General purpose, flame retardant polyolefin tubing
內容物：G5通用型熱縮套管

K5-101

Item Number	Size (mm)	Length (mm)	Color	Quantity
產品名稱	尺寸(毫米)	長度(毫米)	顏色	數量
G5	1.5	35	Black	30pcs
G5	2.5	35	Black	30pcs
G5	3.5	35	Black	20pcs
G5	5.0	35	Black	20pcs
G5	7.0	75	Black	10pcs
G5	10	75	Black	10pcs
G5	13	75	Black	7pcs

Quantity數量：127pcs of G5 (2X)

Specified color and quantity are available on request.
指定包裝可依客戶實際需求調整內容



ASSORTMENT KIT

K6

Heat shrinkable tubing kit 熱縮套管組裝盒

●應用 Applications

由熱縮套管組裝而成，各個規格的熱縮套管包裝在格式的塑膠盒中，適合在量販通路銷售。

The kit is assembled from heat shrink tubing. Various sizes of heat shrink tubing are packed in the plastic organizer box and are suitable for sale in the hypermarket.

●塑膠盒 Plastic Box

- 內容物：熱縮套管、微型熱風槍(GHG)
- 規格：24.5 x 19 x 3.4cm
- 材料：PP
- 顏色：透明
- 隔板：可調式
- Contents: heat shrink tubing, gas heat gun (GHG)
- Size: 24.5 x 19 x 3.4cm
- Material: PP
- Color: transparent
- Divider: adjustable



系列隔板為可調式
Adjustable partition



Product Dimensions

產品規格

Part Number
產品型號

Contents: G5 General purpose, flame retardant polyolefin tubing
內容物：G5通用型熱縮套管

K6-101

Item Number	Size (mm)	Length (mm)	Quantity	Color / Quantity 顏色 / 數量					
產品名稱	尺寸(毫米)	長度(毫米)	數量	●	●	●	●	●	◎
G5	1.5	102	60pcs		10	10	10	10	10
G5	2.5	102	35pcs		6	6	6	6	6
G5	3.0	102	25pcs		4	4	4	4	5
G5	5.0	102	20pcs		3	4	3	3	4
G5	6.0	102	10pcs		1	2	2	2	2
G5	10.0	102	10pcs		1	2	2	2	2
G5	15.0	500	1pcs	1					

Contents: Gas heat gun (GHG)

內容物：微型熱風槍(GHG)

Burning Time	Gas Volume	Flame Temperature	Power	Quantity
燃燒時間	瓦斯容量	火焰溫度	功率	數量
60mins	12mL	1300°C	30W~70W	1pcs

Quantity數量：162pcs of G5 (2X) & GHG

Specified color and quantity are available on request.
指定包裝可依客戶實際需求調整內容

ASSORTMENT KIT



Heat shrinkable tubing kit
熱縮套管組裝盒

應用 Applications

由熱縮端子組裝而成，各個規格的熱縮端子包裝在格式的塑膠盒中，適合在量販通路銷售。

The kit is assembled from heat shrink terminals. Various sizes of heat shrink terminals are packed in the plastic organizer box and are suitable for sale in the hypermarket.

塑膠盒 Plastic Box

- 內容物：熱縮端子
 - 規格：12 x 8.6 x 2.5cm
 - 材料：PP
 - 顏色：透明
 - 隔板：固定式
- Contents: heat shrink terminals
 - Size: 12 x 8.6 x 2.5cm
 - Material: PP
 - Color: transparent
 - Divider: fixed

Product Dimensions
產品規格

Contents: GAST-RS 125°C Solder sleeve wire splices
內容物：GAST-RS 125°C防水焊錫環熱縮中接管

Item Number	Wire Range	Color	Quantity
產品名稱	線徑範圍AWG(mm²)	顏色	數量
GAST-RS03	22-18(0.5-1.0)	Blue	8pcs
GAST-RS05	16-14(1.5-2.5)	Blue	6pcs
GAST-RS07	12-10(4.0-6.0)	Blue	5pcs
GAST-RS11	10-6(6.0-14.0)	Blue	4pcs
GAST-RS13	8-4(8.0-22.0)	White	2pcs

Quantity數量：25pcs of GAST-RS

Specified color and quantity are available on request.
指定包裝可依客戶實際需求調整內容

Part Number
產品型號

K7-101

Contents: CRIMP Waterproof heat shrinkable crimp splices
內容物：CRIMP防水熱縮中接管

Item Number	Wire Range	Color	Quantity
產品名稱	線徑範圍AWG(mm²)	顏色	數量
GBS-1	22-18(0.5-1.0)	Red	18pcs
GBS-2	16-14(1.5-2.5)	Blue	12pcs
GBS-5	12-10(4.0-6.0)	Yellow	6pcs

Quantity數量：36pcs of CRIMP

Specified color and quantity are available on request.
指定包裝可依客戶實際需求調整內容

Part Number
產品型號

K7-201

ASSORTMENT KIT

B2

Tube and sleeve - mini box
熱縮套管捲式包 (紙盒)

● 應用 Applications

由客戶指定熱縮套管、PET編織擴充網管的規格和顏色。套管經捲繞於紙軸後置於小紙盒中，可以得到良好的保護和方便地使用。

The sizes and colors of heat shrink tubing and PET braided sleeving can be customized. The tube is wound on a paper reel and then packed into a mini dispenser box. By doing the mentioned process, the tube is well protected and easy to use.

● 小紙盒 Mini Box

- 規格：16.5 x 5.5 x 18.5cm
 - 顏色：白色
 - 套管規格：1/16"~1"
 - 套管長度：每盒2.5M ~ 15M
 - 標準包裝：每箱40盒
-
- Size: 16.5 x 5.5 x 18.5cm
 - Color: white
 - Tube size: 1/16"~1"
 - Tube length: 2.5M ~ 15M per box
 - Standard packing: 40 boxes per carton



Product Dimensions
產品規格

Contents: G5 General purpose, flame retardant polyolefin tubing 內容物：G5通用型熱縮套管			
Part Number	Size (mm)	Size (inch)	Length/Box
產品型號	尺寸(毫米)	尺寸(英吋)	長度/每盒
B2G5-0015	1.5	1/16"	15M
B2G5-0020	2	3/32"	15M
B2G5-0030	3	1/8"	15M
B2G5-0050	5	3/16"	10M
B2G5-0060	6	1/4"	10M
B2G5-0090	9	3/8"	10M
B2G5-0120	12	1/2"	5M
B2G5-0180	18	3/4"	5M
B2G5-0250	25	1"	5M

Contents: G5-3X High shrink ratio polyolefin tubing 內容物：G5-3X高收縮倍率熱縮套管			
Part Number	Size (mm)	Size (inch)	Length/Box
產品型號	尺寸(毫米)	尺寸(英吋)	長度/每盒
B2G53X0030	3	1/8"	15M
B2G53X0060	6	1/4"	10M
B2G53X0090	9	3/8"	10M
B2G53X0120	12	1/2"	5M
B2G53X0180	18	3/4"	5M
B2G53X0250	25	1"	5M

Contents: AIS 3:1 Dual wall polyolefin tubing 內容物：AIS 3:1雙壁含膠型熱縮套管			
Part Number	Size (mm)	Size (inch)	Length/Box
產品型號	尺寸(毫米)	尺寸(英吋)	長度/每盒
B2AIS0032	3.2	1/8"	5M
B2AIS0048	4.8	3/16"	5M
B2AIS0064	6.4	1/4"	3.5M
B2AIS0095	9.5	3/8"	3M
B2AIS0127	12.7	1/2"	2.5M

Contents: BSPET PET expandable braided sleeving 內容物：BSPET PET編織擴充管			
Part Number	Nominal Size (mm)	Nominal Size (inch)	Length/Box
產品型號	公稱尺寸(毫米)	公稱尺寸(英吋)	長度/每盒
B2BS0032	3.2	1/8"	10M
B2BS0064	6.4	1/4"	10M
B2BS0095	9.5	3/8"	10M
B2BS0127	12.7	1/2"	10M
B2BS0191	19.1	3/4"	10M



ASSORTMENT KIT

R2

Tube and sleeve - blister pack
熱縮套管圓形泡殼包裝

● 應用 Applications

捲繞式包裝，方便收取整理。泡殼為PET材質。

Packed with winding type for store and take easily.
The blister is made of PET material.

● Patent No: 3143421 專利號碼：3143421

Product Dimensions
產品規格

Contents: G5 General purpose, flame retardant polyolefin tubing 內容物：G5通用型熱縮套管			
Part Number	Size (mm/inch)	Length (M)	Blister Diameter
產品型號	尺寸(毫米/英吋)	長度(米)	泡殼直徑
R2-0020	2mm (3/32")	2M	9.5cm
R2-0030	3mm (1/8")	2M	9.5cm
R2-0045	4.5mm (3/16")	2M	9.5cm
R2-0060	6mm (1/4")	2M	9.5cm
R2-0090	9mm (3/8")	2M	9.5cm
R2-0120	12mm (1/2")	2M	9.5cm
R2-0200	20mm (3/4")	2M	9.5cm

Contents: BSPET PET expandable braided sleeving 內容物：BSPET PET編織擴充管			
Part Number	Nominal Size(mm/inch)	Length (M)	Blister Diameter
產品型號	公稱尺寸(毫米/英吋)	長度(米)	泡殼直徑
R2BS0032	3.2mm (1/8")	2M	9.5cm
R2BS0064	6.4mm (1/4")	2M	9.5cm
R2BS0095	9.5mm (3/8")	2M	9.5cm
R2BS0127	12.7mm (1/2")	2M	9.5cm
R2BS0191	19.1mm (3/4")	2M	9.5cm





ASSORTMENT KIT



Heat shrinkable tubing pack - mini spool pack
熱縮套管捲式包裝

● 應用 Applications

圓形捲繞式包裝，方便收取整理。

Packed with round winding type for store and take easily.



Product Dimensions
產品規格

Contents: G5 General purpose, flame retardant polyolefin tubing 內容物：G5通用型熱縮套管			
Part Number	Size (mm/inch)	Color	Packing (Meter/Roll)
產品型號	尺寸(毫米/英吋)	顏色	包裝(米/每卷)
GR1-1	3mm (1/8")	Black	10
GR2-1	6mm (1/4")	Black	7
GR3-1	9mm (3/8")	Black	5
GR4-1	12mm (1/2")	Black	4
GR5-1	18mm (3/4")	Black	3
GR6-1	25mm (1")	Black	3
GR1-2	3mm (1/8")	Red	10
GR2-2	6mm (1/4")	Red	7
GR3-2	9mm (3/8")	Red	5
GR4-2	12mm (1/2")	Red	4
GR5-2	18mm (3/4")	Red	3
GR6-2	25mm (1")	Red	3
GR1-3	3mm (1/8")	Blue	10
GR2-3	6mm (1/4")	Blue	7
GR3-3	9mm (3/8")	Blue	5
GR4-3	12mm (1/2")	Blue	4
GR5-3	18mm (3/4")	Blue	3
GR6-3	25mm (1")	Blue	3
GR1-4	3mm (1/8")	Yellow	10
GR2-4	6mm (1/4")	Yellow	7
GR3-4	9mm (3/8")	Yellow	5
GR4-4	12mm (1/2")	Yellow	4
GR5-4	18mm (3/4")	Yellow	3
GR6-4	25mm (1")	Yellow	3
GR1-5	3mm (1/8")	Green	10
GR2-5	6mm (1/4")	Green	7
GR3-5	9mm (3/8")	Green	5
GR4-5	12mm (1/2")	Green	4
GR5-5	18mm (3/4")	Green	3
GR6-5	25mm (1")	Green	3
GR1-6	3mm (1/8")	White	10
GR2-6	6mm (1/4")	White	7
GR3-6	9mm (3/8")	White	5
GR4-6	12mm (1/2")	White	4
GR5-6	18mm (3/4")	White	3
GR6-6	25mm (1")	White	3
GR1-7	3mm (1/8")	Clear	10
GR2-7	6mm (1/4")	Clear	7
GR3-7	9mm (3/8")	Clear	5
GR4-7	12mm (1/2")	Clear	4
GR5-7	18mm (3/4")	Clear	3
GR6-7	25mm (1")	Clear	3
GR1-8	3mm (1/8")	yellow-green	10
GR2-8	6mm (1/4")	yellow-green	7
GR3-8	9mm (3/8")	yellow-green	5
GR4-8	12mm (1/2")	yellow-green	4
GR5-8	18mm (3/4")	yellow-green	3
GR6-8	25mm (1")	yellow-green	3

Cross Reference Number For G-APEX Heat Shrinkable Tubing

	Raychem	SUMITUBE	DSG-Canusa	LG	3M	Alpha
G1	CGPE-105	C	CPX 51	GSHS-1605		
G5	VERSAFIT V2	F32. F2Z	CPX 876	GSHS-1625	CP-221	FIT221V
G5-CB	VERSAFIT V4	F34. F4Z	DERAY ITW	GSHS-1625T		
GA		A				
G5-135	RNF-100	A2. B2	CPX-100	GSHS-1635F	FP-301	FIT221
G5-YG	DCPT 2:1	B2(YG)	CPX 201	GSHS-1635F-YG	GYS	FIT260
G5135-3X	RNF-3000	B2(3X)	CPX 300	GSHS-3635	SFTW-203	FIT321V
AIS	ATUM. DWP-125	W3B2. W3F2	CPA 300	GSHS-3635W	EPS-300	FIT321
AIS-ES	ES-2000	SA2F	SPLICEMELT125	GSHS-4635WS	EPS-4000	FIT421
ACS200	RBK-ILS125					
ATM	MWTM. SST-M	SCD. SCM2	CFM	PMWT	MDT. IMCSN	
ASM-6X	HRHT	SCH	CFHR			FIT621
ANF		IRRAX SCM2			IMCS	
ASM	WCSM.SST		CFW/RHW	PHWT	ITCSN	FIT700
ABS		W3D		GSHS-1625BS		
DR	DR-25	R120	DERAY V25	DRET	PSTH	FIT601
HTK150	RT-375	K2	KYF190	GSHS-1650F	MFP	
KYNAR	RW-175. KYNAR	K	KY175	GSHS-1675	KYNAR	FIT350
VITON	VITON. RW200	FE3. KH200	VT220		VTN200	FIT650
FEP	FEP	FEP			FEP	FIT400
PTFE	TFE	TFE	CTFE250		TFE	FIT500
MTA	MT1000					
MT2/MTE	MT2000					
MTC	MT3000					
MTF	MT-5000/MT5500					
TMS	TMS-SCE					FIT-PRINT
CTMS	TTMS					
HB1	LVIT			LG-BBLV		
HB2	BPTM	SBI300	CBTM	LG-BBHV	BBI	
HB3	BBIT	SBI350	CBTH	LG-BBHT	BBI	
AEC	SSC. ESC		CCAP		ICEC. SKE	FITCAP
AECM	ES CAPS	SA3 CAP	SPLICEMELT CAP 125			
BOOT	Molded parts					BOOTS

Cross Reference Number For G-APEX Heat Shrinkable Tubing

[illegible]

METRIC/INCH CONVERSION CHART

Inches英吋	mm公釐	Inches英吋	mm公釐
1/64	0.40	1/2	12.70
1/32	0.79	33/64	13.10
3/64	1.19	17/32	13.49
1/16	1.59	35/64	13.89
5/64	1.98	9/16	14.29
3/32	2.38	37/64	14.68
7/64	2.78	19/32	15.08
1/8	3.18	39/64	15.48
9/64	3.57	5/8	15.88
5/32	3.97	41/64	16.27
11/64	4.37	21/32	16.67
3/16	4.76	11/16	17.46
13/64	5.16	23/32	18.26
7/32	5.56	3/4	19.05
15/64	5.95	25/32	19.84
1/4	6.35	13/16	20.64
17/64	6.75	7/8	22.23
9/32	7.14	29/32	23.02
19/64	7.54	15/16	23.81
5/16	7.94	61/64	24.21
21/64	8.33	31/32	24.61
11/32	8.73	63/64	25.00
23/64	9.13	1	25.40
3/8	9.53	1-1/4	32.00
25/64	9.92	1-1/2	38.10
13/32	10.32	1-3/4	44.50
27/64	10.72	2	50.80
7/16	11.11	2-1/2	63.50
29/64	11.51	3	76.20
15/32	11.91	3-1/2	88.90
31/64	12.30	4	101.60

Notes